

HD Voice **Conference** IP Phone with PSTN

VIP-8030NT



www.planet.com.tw

Copyright © PLANET Technology Corporation. All rights reserved.

Presentation Outlines


- ◆ **Product Overview**
- ◆ **Product Features**
- ◆ **Applications**
- ◆ **Product Comparison**



**Amazing VoIP
Conference IP Phone**

Extendable Microphone for HD Voice Conference IP Phone
HD Voice Conference IP Phone with PSTN **VIP-8030NT**

◆ The PLANET IP Phone Family




Product Overview

◆ **Top View of VIP-8030NT**




Product Overview

◆ Top View of **VIP-8030NT**



Product Overview

◆ Front View of **VIP-8030NT**



Product Features

✓ Highlight Features

- Supports **3 SIP voice lines**
- Supports **HD voice**
- **128 x 64 pixel LCD** display with ivory backlight
- 3-way conferencing
- **Echo cancellation, hi-fi technology** of wideband voice communication
- Connection type for add-on microphones for a larger recording range



Product Features

✓ Telephone Features

- SIP V1(RFC2543), V2(RFC3261)
- Voice codec support: G.711, G.726, G.729, iLBC, GSM
- Supports STUN and outbound proxy sever
- Speaker volume with adjustable 14 levels reaches 90db
- Call Hold, Call Waiting and Call Forward
- Caller ID display, DND, Auto-answer and Hotline
- Stores 64 groups of incoming calls and outgoing calls
- FSK/DTMF Caller-ID detection and display
- Built-in SD card slot for recording
- Recording file can be played on the unit

Product Features - *HD voice*

◆ **HD Voice**

- ✓ Making the quality of voice better than the standard digital telephony and even close to that of a room conversation.



Product Features - Flexible use of space

- ◆ **High-definition Voice Conferencing for Rooms of Any Size**

- ✓ The VIP-8030NT is perfectly qualified for use in middle to large conference rooms.




Meeting via Effective Communications

Product Features - **PLANET DDNS**

- ◆ **Access anytime, anywhere**

- ✓ Sign in **PLANET DDNS** to register a simple domain name to access home device anytime, anywhere.




[Already a planetddns user ? Log in now](#)

Applications




◆ VoIP Conference Call

- ✓ The VIP-8030NT provides audio conference service to any meeting room and auditorium. Its built-in SD card slot helps record any important meetings.






Free Calls to All Over the World

Product Comparison


| Model | PLANET VIP-8030NT | Snom MeetingPoint | Polycom IP 5000 |
|--|---|---|---|
| Product Image |  |  |  |
| Hardware Features | | | |
| Networking Interface | 1 WAN + 1 LAN | 1 WAN + 1 LAN | 1 LAN |
| PSTN (Public Switched Telephone Network) | ■ | - | - |
| HD Voice (HD handset and Speaker) | ■ | ■ | ■ |
| LCD Display | 128 x 64 pixels | 128 x 64 pixels | 248 x 68 pixels |
| Software Features | | | |
| SIP (RFC3261) | ■ | ■ | ■ |
| STUN (RFC 3489) | ■ | ■ | ■ |
| MWI (RFC 3842) Message Waiting Indicator | ■ | ■ | ■ |
| SIP Registration | 3 | 3 | 3 |
| Voice Codec (ITU-T) | G.711, G.722, G.726, G.729A | G.711, G.722, G.729A | G.711, G.722, G.729A |
| Voice Codec (Other) | iLBC | iLBC | iLBC |
| VAD (Voice Activity Detection) | ■ | ■ | ■ |
| CNG (Comfort Noise Generation) | ■ | ■ | ■ |
| AEC (Acoustic Echo Canceller) | ■ | ■ | ■ |
| LEC (Line Echo Canceller) | G.165 | G.165 | G.165 |
| Dynamic Jitter Buffer | ■ | ■ | ■ |
| DTMF (Dual-tone Multi-frequency) | In-Band, Out-of-band (RFC-2833), SIP Info (RFC-2976) | | |

Product Comparison

| Model | PLANET IPX-8030NT | Snom MeetingPoint | Polycom IP 5000 |
|--|--|---|---|
| Product Image |  |  |  |
| Telephone Features | | | |
| 3-way Conferencing | ■ | ■ | ■ |
| Caller ID | ■ | ■ | ■ |
| Call Mute / Call Holding | ■ | ■ | ■ |
| Call Waiting | ■ | ■ | ■ |
| Call Forward (Immediate/Busy/No Answer) | ■ | ■ | ■ |
| Call Transfer (Blind/Attended) | ■ | ■ | ■ |
| Hotline / Speed Dial | ■ | ■ | ■ |
| Phonebook | ■ | ■ | ■ |
| DND (Do Not Disturb) | ■ | ■ | ■ |
| Auto Answer (Intercom) | ■ | ■ | ■ |
| Auto-Provisioning | ■ | ■ | ■ |
| TR-069 | ■ | ■ | ■ |
| QoS | ■ | ■ | ■ |
| IEEE 802.1 VLAN (voice VLAN / data VLAN) | ■ | ■ | ■ |
| VPN (L2TP) | ■ | ■ | ■ |
| IPv6 | ■ | ■ | ■ |




Appendix

◆ Related IP Phones

| Model Name | | Description |
|------------|---|---|
| VIP-8030NT |  | HD Voice Conference PoE IP Phone with PSTN (3-Line) |
| VIP-1010PT |  | High Definition PoE IP Phone (1-Line) |
| VIP-2020PT |  | Enterprise HD PoE IP Phone (2-Line) |
| VIP-5060PT |  | Professional HD PoE IP Phone (6-Line) |
| VIP-6040PT |  | Gigabit Color LCD HD PoE IP Phone (4-Line) |

Appendix

◆ Related IP PBXs

| Model Name | | Description |
|-----------------|---|--|
| IPX-330 |  | Internet Telephony PBX System (30 Extensions, 2 x FXO) |
| IPX-2100 |  | Internet Telephony PBX System (100 Extensions, 2 Modular Slots) |
| IPX-2500 |  | Internet Telephony PBX System (500 Extensions, 2 Modular Slots) |
| UMG-1000 |  | Desktop Unified Office Gateway (100 Extensions, 4 x FXO) |
| UMG-2200 |  | Unified Office Gateway (250 Extensions, 8 x FXO) |

Sales Target

◆ Target Markets

- ✓ **SMB office**
- ✓ **Internet telephony service provider (ITSP)**
- ✓ **Reseller**

◆ Recommended Solutions

- ✓ **IP Phones**
 - VIP-6040PT, VIP-5060PT, VIP- 2020PT, VIP-1010PT and VIP-256PT
- ✓ **ATAs**
 - VIP-156, VIP-156PE, VIP-157, VIP-157S
- ✓ **IP PBXs**
 - IPX-330, IPX-2100, IPX-2500
- ✓ **UMG**
 - UMG-1000, UMG-2200





ACTIVATING IP POWER